DEPARTMENT OF HEALTH AND HUMAN SERVICES

NATIONAL INSTITUTES OF HEALTH

Testimony before the

United States House Committee on Energy & Commerce

Hearing Titled:

The Path Forward: Advancing Treatments and Cures for Neurodegenerative Diseases

Richard J. Hodes, M.D

Director

National Institute of Aging

National Institutes of Health

Walter J. Koroshetz, M.D.

Director

National Institute of Neurological Disorders and Stroke

National Institutes of Health

July 29, 2021

Good morning, Chair Eshoo, Ranking Member Guthrie, and distinguished members of the Committee. We are Richard J. Hodes, M.D., Director of the National Institute on Aging (NIA), and Walter J. Koroshetz, M.D., Director of the National Institute of Neurological Disorders and Stroke (NINDS), two of the 27 Institutes and Centers of the National Institutes of Health (NIH). It is an honor to be here today to update you on our progress addressing a public health issue of considerable urgency: the need for effective treatments and compassionate care for persons living with neurodegenerative disorders and their care partners. We look forward to telling you about some of the many ongoing initiatives and important advances in research targeting the development of treatments and prevention strategies for these diseases amyotrophic lateral sclerosis (ALS), supported by the appropriations provided by Congress in recent years.

BURDEN OF NEURODEGENERATIVE DISEASES

Neurodegenerative disorders result from progressive damage to cells and nervous system connections that are essential for functions including cognition, mobility, coordination, strength, and sensation. Millions of Americans are affected by neurodegenerative disorders each year, exacting an incalculable personal toll and a tremendous economic cost in medical expenses and lost productivity. According to a recent estimate from the Centers for Disease Control and Prevention (CDC) sixth and 14th leading causes of death in the United States, respectively.

Neurodegenerative diseases are among the most common late-life diseases, and the number of Americans with these diseases is expected to increase as the population ages. According to a recent NIH-funded analysis a progressive brain disease that slowly destroys memory and thinking skills and eventually even the ability to carry out the simplest tasks of daily living. A majority of those affected are women. By 2050, t in 2060. -related dementias, such as Lewy body dementia (LBD), frontotemporal dementia (FTD), vascular contributions to cognitive impairment & dementia (VCID), and mixed dementias. These dementias share clinical and

The burden of dementia is rising among racial and ethnic minority groups.

Progress in our understanding of the genetics of familial forms of neurodegenerative diseases gives us insights into the mechanisms underlying more common spontaneous (non-inherited) forms of these disease. For example, almost 25 years ago NIH intramural investigators studying a large family with a history of ed a mutation in the alpha-synuclein gene as the first known genetic mutation Although this gene mutation is rare, the finding led to the discovery that alpha-synuclein protein aggregation inside neurons is the pathological hallmark of LBD . The led to numerous research studies investigating how alpha-synuclein functions at a cellular level, developing biomarkers for detecting alpha-synuclein in persons to aid in early diagnosis or monitor disease progression, and developing new treatments that target alpha-synuclein accumulation.

Similarly, genes first discovered in families that had inherited forms of played a key role in advancing our understanding of the disease. Researchers have identified three different mutations which cause the These discoveries paved the way for several avenues of research: we now have multiple biomarkers to detect the presence of amyloid in the brain, and NIA-supported teams are working to develop less invasive and less expensive versions of amyloid tests. Moreover, several drugs are now in clinical trials that target amyloid Aducanumab was recently granted accelerated approval by the Food and Drug Administration (FDA). In explaining its decision, FDA noted that the ability to reduce amyloid in the brain is expected to lead to a reduction in the clinical decline Additional research is essential to test the ability of amyloid-targeted treatment to affect clinical outcomes.

After years of making progress understanding the role of single genes or proteins, we now have advanced technologies that make it possible to conduct large-scale analyses of multiple genes or proteins and integrate the information with clinical data to better understand disease and new therapeutic targets. Late last year, an international team led by scientists from NIA and NINDS discovered a connection between ALS-FTD and the genetic mutation that causes another neurodegenerative condition, . This discovery was made possible via whole genome sequencing, in which investigators screen the entire set of genes of a large group of individuals. The discovery might translate into a new way of diagnosing and treating some individuals with ALS-FTD. In fact, clinical trials of D UDH O U H D G \ L Q S U R JZUKHV Y K DZYLHW K XWQKVRLVQH W R investigational gene therapy may help people with ALS-FTD with this gene mutation.

NIH launched the Accelerating Leading-edge Science in ALS (ALS^2) initiative, part of the NIH

digestive tract

The Blueprint Neurotherapeutics Network, which is a collaboration of eight NIH Institutes and Centers, provides support for early-stage small molecule drug discovery through phase 1 clinical testing and has supported 30 projects over the last decade. Three compounds developed through Blueprint have entered Phase 2 clinical trials in patients, including one for Alzheimer's disease. Currently Blueprint is funding D Q G RRQLH 3 D U N L Q V, and this successful program has been expanded to include biologics.

The NINDS Translational Research Pro cge12 75.lm7 (h P)-3 (ro cge12 p8uiol)-3/MCID / Tf 12 7j E3f 12 0 0 12 54

In addition, NIH is leading efforts into investigating existing drugs that FDA has already deemed safe for people with other conditions some of these drugs could be repurposed to effectively prevent or

NIH leads significant efforts to expand the development of less invasive and less expensive biomarkers

Often, the first point of clinical care is diagnosis and referral to specialty care. Evidence suggests that cognitive impairment and dementia are substantially under-diagnosed in the general population, DetectCID initiative is developing, testing, and validating several novel cognitive impairment assessments that are simple, culturally appropriate, and easy to administer in everyday clinical settings. This program is soon to advance to pragmatic clinical trials.

In 2019, NIA funded the -Related Dementias Clinical Trials (IMPACT) Collaboratory, which is designed to spur innovation to meet the challenges of the

the progression from mild cognitive impairment to dementia. In early 2021, NIA released new funding opportunities to support research, including behavior change clinical trials, on the psychology of motivation, value-based decision making, and social support to help investigators develop ways to help people choose and sustain healthy behaviors over many years. There is also increasing attention to environmental factors, like stress and pollutants, in relation to neurodegenerative disorders.

CONCLUSION

We have made significant progress in understanding neurodegenerative disorders. NIH will continue to build on this momentum and advance efforts to develop effective treatments and preventions for these devastating conditions. This concludes our testimony, and we welcome your questions.